

Refine Search

Search Results -

Terms	Documents
L1 and (bandwidth or (band adj1 width))	10

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L2

[Up] [Down]

Search History

DATE: Thursday, January 04, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=PGPB; PLUR=YES; OP=OR

	Hit Count	Set Name
L2	10	<u>L2</u>
L1	65	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4 and (adjust\$3 near5 frequenc\$3)	4

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, January 04, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			result set
<i>DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR</i>			
<u>L5</u>	L4 and (adjust\$3 near5 frequenc\$3)	4	<u>L5</u>
<u>L4</u>	L3 and (bandwidth or (band adj1 width))	44	<u>L4</u>
<u>L3</u>	(variable near5 speed) near10 bus	309	<u>L3</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L2</u>	L1 and (bandwidth or (band adj1 width))	10	<u>L2</u>
<u>L1</u>	(variable near5 speed) near10 bus	65	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(361/683 361/684 361/685 361/686 322/32 709/233 370/257 710/33 710/300 710/307 710/58 710/240 710/309 710/15 710/60 710/313 712/32 340/825 713/600 713/501 713/320 713/322).ccls.	16192

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, January 04, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)
[Set](#)
[Name Query](#)

 side by
 side

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L6 710/33,300,307,58,240,309,15,60,313;713/600,501,320,322;340/825;370/257;709/233;322/32;36
686;712/32.ccls.

L5 L4 and (adjust\$3 near5 frequenc\$3)

L4 L3 and (bandwidth or (band adj1 width))

L3 (variable near5 speed) near10 bus

DB=PGPB; PLUR=YES; OP=OR

L2 L1 and (bandwidth or (band adj1 width))

L1 (variable near5 speed) near10 bus

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L4 and L6	7

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L7

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Thursday, January 04, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

[Set](#)

[Name Query](#)

side by
side

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L7 l4 and L6

L6 710/33,300,307,58,240,309,15,60,313;713/600,501,320,322;340/825;370/257;709/233;322/32;36
686;712/32.ccls.

L5 L4 and (adjust\$3 near5 frequenc\$3)

L4 L3 and (bandwidth or (band adj1 width))

L3 (variable near5 speed) near10 bus

DB=PGPB; PLUR=YES; OP=OR

L2 L1 and (bandwidth or (band adj1 width))

L1 (variable near5 speed) near10 bus

END OF SEARCH HISTORY



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |
Welcome United States Patent and Trademark Office

□ Search Results**BROWSE****SEARCH****IEEE XPLOR GUIDE**

Results for "((variable<in>metadata) <and> (speed<in>metadata))<and> (bus<in>..."

Your search matched **17** of **1450046** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

[e-mail](#)

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

[Select All](#) [Deselect All](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- 1. **Call control and traffic transport for connection-oriented high speed wire communications over metropolitan area networks**
Leung, V.C.M.; Qian, N.; Malyan, A.D.; Donaldson, R.W.;
[Selected Areas in Communications, IEEE Journal on](#), Volume 12, Issue 8, Oct. 1994 Page(s):1376 - 1388
Digital Object Identifier 10.1109/49.329338
[AbstractPlus](#) | Full Text: [PDF\(1200 KB\)](#) [IEEE JNL Rights and Permissions](#)

- 2. **High-speed system bus for a SoC network processing platform**
Bissou, J.P.; Dubois, M.; Savaria, Y.; Bois, G.;
[Microelectronics, 2003. ICM 2003. Proceedings of the 15th International Conference](#) 9-11 Dec. 2003 Page(s):194 - 197
Digital Object Identifier 10.1109/ICM.2003.1287765
[AbstractPlus](#) | Full Text: [PDF\(1585 KB\)](#). [IEEE CNF Rights and Permissions](#)

- 3. **A bus on a diet-the serial bus alternative-an introduction to the P1394 High Speed Serial Bus**
Teener, M.;
[Compcon Spring '92. Thirty-Seventh IEEE Computer Society International Conference on Computer Design: VLSI in Computing](#), Volume 1, 24-28 Feb. 1992 Page(s):316 - 321
Digital Object Identifier 10.1109/CMPCON.1992.186731
[AbstractPlus](#) | Full Text: [PDF\(468 KB\)](#) [IEEE CNF Rights and Permissions](#)

- 4. **Global Scheduling Approach to Conflict-Free Multiaccess via a Data Bus**
Mark, J.;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#), Volume 26, Issue 9, Sep 1978 Page(s):1342 - 1352
[AbstractPlus](#) | Full Text: [PDF\(880 KB\)](#) [IEEE JNL Rights and Permissions](#)

- 5. **A high performance transparent bridge**
Zitterbart, M.; Tantawy, A.N.; Serpanos, D.N.;
[Networking, IEEE/ACM Transactions on](#), Volume 2, Issue 4, Aug. 1994 Page(s):352 - 362

Digital Object Identifier 10.1109/90.330416

[AbstractPlus](#) | Full Text: [PDF\(1108 KB\)](#) IEEE JNL
[Rights and Permissions](#)

6. A board system for high-speed image analysis and neural networks

Sackinger, E.; Graf, H.-P.;

[Neural Networks, IEEE Transactions on](#)

Volume 7, Issue 1, Jan. 1996 Page(s):214 - 221

Digital Object Identifier 10.1109/72.478407

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1028 KB\)](#) IEEE JNL
[Rights and Permissions](#)

7. A single-chip universal cable set-top box/modem transceiver

D'Luna, L.J.; Tan, L.K.; Mueller, D.; Laskowski, J.L.; Cameron, K.; Jind-Yeh Le Monroe, J.S.; Law, H.S.; Chaing, J.; Wakayama, M.H.; Kwan, T.; Chi-Hung Lin; Kaylani, T.; Lu, F.; Spieker, T.; Hawley, R.; Smaueli, H.;

[Solid-State Circuits, IEEE Journal of](#)

Volume 34, Issue 11, Nov. 1999 Page(s):1647 - 1660

Digital Object Identifier 10.1109/4.799875

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(704 KB\)](#) IEEE JNL
[Rights and Permissions](#)

8. Control of switched reluctance drives for electric vehicle applications

Inderka, R.B.; Menne, M.; De Doncker, R.W.A.A.;

[Industrial Electronics, IEEE Transactions on](#)

Volume 49, Issue 1, Feb. 2002 Page(s):48 - 53

Digital Object Identifier 10.1109/41.982247

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(116 KB\)](#) IEEE JNL
[Rights and Permissions](#)

9. Frame packing in real-time communication

Sandstrom, K.; Norstrom, C.; Ahlmark, M.;

[Real-Time Computing Systems and Applications, 2000. Proceedings. Seventh Conference on](#)

12-14 Dec. 2000 Page(s):399 - 403

Digital Object Identifier 10.1109/RTCSA.2000.896418

[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF
[Rights and Permissions](#)

10. Request based channel access protocol on folded bus topology

Kumar, S.; Jayasumana, A.P.;

[Local Computer Networks, 1995., Proceedings. 20th Conference on](#)

16-19 Oct. 1995 Page(s):174 - 183

Digital Object Identifier 10.1109/LCN.1995.527342

[AbstractPlus](#) | Full Text: [PDF\(756 KB\)](#) IEEE CNF
[Rights and Permissions](#)

11. Design of a two stage, 1 kW battery charger with power factor correction

Canales, F.; Abud, D.; Arau, J.; Jimenez, G.;

[Power Electronics and Variable-Speed Drives, 1994. Fifth International Conference on](#)

26-28 Oct 1994 Page(s):626 - 631

[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEE CNF

12. Active filter system implementation

Bhattacharya, S.; Frank, T.M.; Divan, D.M.; Banerjee, B.;

[Industry Applications Magazine, IEEE](#)

Volume 4, Issue 5, Sept.-Oct. 1998 Page(s):47 - 63

Digital Object Identifier 10.1109/2943.715508

[AbstractPlus](#) | Full Text: [PDF\(1828 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- 13. 270-VDC/hybrid 115-VAC electric power generating system technology development**
Niggemann, R.E.; Peecher, S.; Rozman, G.;
[Aerospace and Electronic Systems Magazine, IEEE](#)
Volume 6, Issue 8, Aug. 1991 Page(s):21 - 26
Digital Object Identifier 10.1109/62.90952
[AbstractPlus](#) | Full Text: [PDF\(720 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- 14. PWM inverters and their influence on motor overvoltage**
Kerkman, R.J.; Leggate, D.; Schlegel, D.; Skibinski, G.;
[Applied Power Electronics Conference and Exposition, 1997. APEC '97 Conference Proceedings 1997., Twelfth Annual](#)
Volume 1, 23-27 Feb. 1997 Page(s):103 - 113 vol.1
Digital Object Identifier 10.1109/APEC.1997.581440
[AbstractPlus](#) | Full Text: [PDF\(912 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 15. A high performance and cost effective drive based power conditioner for applications**
Lee, K.; Wallace, I.T.; Ahlgren, J.K.; Buck, E.F.;
[Industry Applications Conference, 2005. Fourtieth IAS Annual Meeting. Conference Record](#) 2005
Volume 4, 2-6 Oct. 2005 Page(s):2498 - 2504 Vol. 4
Digital Object Identifier 10.1109/IAS.2005.1518811
[AbstractPlus](#) | Full Text: [PDF\(594 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 16. Reduction of DC bus capacitor ripple current with PAM/PWM converter**
Kieferndorf, F.D.; Forster, M.; Lipo, T.A.;
[Industry Applications Conference, 2002. 37th IAS Annual Meeting. Conference Record](#) 2002
Volume 4, 13-18 Oct. 2002 Page(s):2371 - 2377 vol.4
Digital Object Identifier 10.1109/IAS.2002.1042777
[AbstractPlus](#) | Full Text: [PDF\(423 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 17. A study on the effective interconnection method between base stations and a bank subsystem in CDMA cellular voice/data integrated networks**
Kyung Su Park; Dong Ho Cho;
[Vehicular Technology Conference, 1995 IEEE 45th](#)
Volume 1, 25-28 July 1995 Page(s):180 - 184 vol.1
Digital Object Identifier 10.1109/VETEC.1995.504853
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

IEEE Xplore® RELEASE 2.1

□ AbstractPlus
 ▶ View Search Results | ◀ Previous Article | Next Article ▶

Access this document
 Full Text: PDF (756 KB)

Download this citation
 Choose Citation & Abstract ▶

Download ASCII Text
 []

» Learn More

Rights and Permissions
 Learn More

Home | Login | Logout | Access Information | Alerts | Sitemap | Help
 Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORER GUIDE SUPPORT
 e-mail printer friendly

Request based channel access protocol on folded bus topology

Kumar, S. Jayasumana, A.P.
 Dept. of Comput. Sci., Colorado State Univ., Fort Collins, CO, USA;

This paper appears in: Local Computer Networks, 1995, Proceedings, 20th Conference on

Publication Date: 16-19 Oct. 1995

On page(s): 174 - 183

Meeting Date: 10/16/1995 - 10/19/1995

Location: Minneapolis, MN

INSPEC Accession Number: 52111967

Digital Object Identifier: 10.1109/LCN.1995.527342

Posted online: 2002-08-06 19:55:44.0

Abstract

Multichannel optical networks promise **bandwidth** in the gigabits/sec domain. This current trend in optical device technology demands a simple yet scalable protocol for future high speed networks. The Request Based Channel Access (RBCA) protocol provides solution based on **folded bus** topology. RBCA protocol communication consists of two steps, namely, **bandwidth request** and **data transmission**. The communication is slot based and supports **variable packet lengths**. A dedicated monitor node in the network performs all protocol processing and error detection/correction functions, and minimizes all protocol overheads in nodes. The protocol provides fair channel access to all nodes, irrespective of their relative position from the fold of the network. In a multichannel network, the communication of each channel is independent of all other channels. Thus multichannel networks can be implemented as better optical communication devices, supporting large number of parallel channels, become available

Index Terms
 Inspec
Controlled Indexing
local area networks optical communication protocols

Non-controlled Indexing
 RBCA protocol Request Based Channel Access bandwidth request channel access
protocol data transmission dedicated monitor node folded bus folded bus topology
multichannel optical networks


Author Keywords

[Not Available](#)[References](#)

No references available on IEEE Xplore.

Citing Documents

- 1 A network management architecture for robust packet routing in mesh optical access networks, Medard, M., Lumetta, S.; Liuyang Li
Selected Areas in Communications, IEEE Journal on
On page(s): 822-833, Volume: 20, Issue: 4, May 2002
[Abstract](#) | Full Text: [PDF](#) (359)

[View Search Results](#) | [◀ Previous Article](#) | [Next Article ▶](#)Indexed by
 Inspec®[Help](#) | [Contact Us](#) | [Privacy & Security](#) | [IEEE.org](#)
© Copyright 2006 IEEE – All Rights Reserved